

# Dream



**MINI LITHIUM ELECTRIC PALLET TRUCK**



**QBM-2004**

1. Ergonomic handle, more stronger and durable.
2. The turtle button makes vehicle be moved while handle is in vertical position. which helps to easily operate in narrow aisle, especially in elevator or VAN truck.
3. Multi-function Handle. Forward/reverse butterfly switch. Power indicator, horn, Turtle button.
4. QBM: Electric lifting BBM=Manual lifting
5. Modular design of main parts, provides perfect performance and convenient maintenance.
6. Manual stepless lowering handle, ensures safe unload.
7. The precision structure design provides a quick and convenient service in maintenance.
8. Well protected hydraulic system reduces unnecessary trouble during operation.
9. Emergency stop button is simple and convenient operation.
10. Lithium battery with long service life and quick replacement, improves work efficiency.
11. Standard Lithium battery maintenance-free quick charging and more safety. Built-BMS protection system prevents short circuit, overload and overcurrent.

The pioneering design of the mini lithium electric carrier, beautiful appearance, compact structure, efficient and labour-saving, multi-functional handle makes the operation more convenient. Fast charging and battery replacement greatly improve the work efficiency, turtle speed button can walk upright and small turning radius to meet the needs of narrow channels.



Load center	C ( mm )	600
Weight with battery	kg	130
Drive wheel	Φxw ( mm )	Φ210x70
Load wheel	Φxw ( mm )	Φ80x70 ( Φ74x70 ) Φ80x93 ( Φ74x93 )
Max.lifting height	h3 ( mm )	190
Height of tiller	h14 ( mm )	1185
Lowered height of forks	h13 ( mm )	85 ( 75 )
Overall length	l1 ( mm )	1665
	l2 ( mm )	507
Fork dimension	s/e/l ( mm )	54X160X1150
Overall Width	b5 ( mm )	550/680
Ground clearance	m2 ( mm )	32
Turning radius	Wa ( mm )	1470
Travel speed,laden/unladen	km/h	4/4
Max.gradient,laden/unladen	%	5/15
Braking	Electromagnetic brake(E/M)	
Drive motor	w	750
Lift motor	w	800
Battery voltage/capacity	V/Ah	Lithium/24V/20Ah
Noise lever	dB/ (A)	<70